



ISOX4 LOW CURRENT MANUAL




CONTENTS

- 1. INTRODUCTION
- 2. INSTRUCTIONS FOR USE
- 3. WARRANTY



1. INTRODUCTION

The GigRig Isolator works as part of our Modular Power Supply and provides ultra clean and isolated power to your lower current 9V DC pedals. The Isolator provides reverse isolation, so crosstalk between the powered pedal and other pedals is eliminated. Each Isolator has 4 x independent, isolated, 9V DC outputs capable of delivering 135 mA each. Use The GigRig Generator, connected to a Distributor, to power your ISOX4 LC or the 500mA @ 9V, 1000mA (set to 9V) outputs of the Gen-X-14.





2. INSTRUCTIONS FOR USE

Each ISOX4 LC is supplied with 4 x 1.5 metre length DC leads with right angled 2.1mm connectors to power your effects. Simply follow the instructions listed in the diagram provided to correctly connect them.

Please note, we cannot guarantee the performance of the adapter from any other supply.

DO NOT STRIP THE CABLE.

DO NOT COVER THE ADAPTER, IT MAY OVERHEAT AND SWITCH OFF!

It is normal for the adapter to run warm.

Short Circuit Protection: The Isolator will sense if there is a short circuit on its output and shut down to protect itself and your pedals.



3. WARRANTY

The GigRig warrants the product to be free from defects in material and workmanship for a period of 2 years from the original date of purchase.

If the product fails within the warranty period, The GigRig will repair or, at our discretion, replace the product and cover the cost of return shipping to the original purchaser. This warranty covers defects in manufacturing discovered while using this product as recommended by The GigRig. This warranty does not cover loss or theft, nor does the coverage extend to damage caused by misuse, abuse, unauthorized modification, improper storage, lightning, or natural disasters.

Damage caused by any of the above circumstances may result in a non-warranty repair fee. Legal: In the case of malfunction, the purchaser's sole recourse shall be repair or replacement, as described in the preceding paragraphs. The GigRig will not be held liable to any party for damages that result from the failure of this product. Damages excluded include, but are not limited to, the following: lost profits, lost savings, damage to other equipment, and incidental or consequential damages arising from the use, or inability to use this product.

In no event will The GigRig be liable for more than the amount of the purchase price, not to exceed the current retail price of the product. The GigRig disclaims any other warranties, express or implied. By using the product, the user accepts all terms herein.

Disposal: The GigRig contains no batteries or Lead. Return the unit to The GigRig Ltd for disposal or use standard disposal for electrical equipment recommended in your country. Do not dispose of electrical equipment in household waste!

The GigRig is protected by copyright, moral rights, patent and design registration.

'GigRig' is a stylized trademark. No 2343300

Any individual or company found copying the functionality, look or feel, circuits, circuit function or software functions for commercial gain will be liable for legal action. Licenses may be granted to non-competing companies.

The GigRig and its Power supply are RoHs compliant.

Tested and compliant to EN 60950 safety standard.

The power supply is approved to all USA and European

Regulations including UL. See separate instructions supplied with the power supply

Manufacturer: The GigRig Ltd, Unit 15 Whitehill Industrial Pk, Royal Wootton Bassett, SN4 7DB Authorised Representative: EAS - Mustamäe tee 50, 10621 Tallinn, Estonia Warning: For indoor use only. Keep away from water. Keep away from Children.



